



DHODH Rabbit mAb


Catalog No	YP-rAb-16897
Isotype	IgG
Reactivity	Human,Mouse,Rat
Applications	WB,IF,ELISA
Gene Name	DHODH
Protein Name	Dihydroorotate dehydrogenase
Purification Process	Protein A
Specificity	Endogenous
Formulation	PBS, 50% glycerol, 0.05% Proclin 300, 0.05%BSA
Source	Monoclonal, Rabbit,IgG
Dilution	WB 1:200-1:1000; IF 1:200-1:1000; ELISA 1:5000-1:20000;
Concentration	0.5 mg/ml
Purity	≥90%
Storage Stability	-15° C to -25° C/1 year(Do not lower than -25° C)
Synonyms	DHODH;Dihydroorotate dehydrogenase;DHODH ; Dihydroorotate dehydrogenase ; quinone ; mitochondrial ; DHodehase ; Dihydroorotate oxidase
Observed Band	45kD
Calculated Molecular Weight	43kD
Cell Pathway	Mitochondrion inner membrane ; Single-pass membrane protein .
Tissue Specificity	Skin,Testis,
Function	Catalytic activity:(S)-dihydroorotate + O(2) = orotate + H(2)O(2).,cofactor:Binds 1 FAD per subunit.,pathway:Pyrimidine metabolism; UMP biosynthesis via de novo pathway; UMP from HCO(3)(-): step 4/6.,similarity:Belongs to the dihydroorotate dehydrogenase family.,
Background	The protein encoded by this gene catalyzes the fourth enzymatic step, the ubiquinone-mediated oxidation of dihydroorotate to orotate, in de novo pyrimidine biosynthesis. This protein is a mitochondrial protein located on the outer surface of the inner mitochondrial membrane. [provided by RefSeq, Jul 2008],
matters needing attention	Avoid repeated freezing and thawing!





Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



Various whole cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with anti-DHODH antibody. The HRP-conjugated Goat anti-Rabbit IgG (H + L) antibody was used to detect the antibody. Lane 1: Mouse spleen Predicted band size: 43kDa Observed band size: 45kDa

