



# OGFR Polyclonal Antibody

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
|------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Catalog No</b>                  | YP-Ab-00468                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| <b>Isotype</b>                     | IgG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Reactivity</b>                  | Human                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Applications</b>                | WB;ELISA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
| <b>Gene Name</b>                   | OGFR                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Immunogen</b>                   | The antiserum was produced against synthesized peptide derived from human OGFR. AA range:138-187                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| <b>Specificity</b>                 | OGFR Polyclonal Antibody detects endogenous levels of OGFR protein.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Formulation</b>                 | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Source</b>                      | Polyclonal, Rabbit,IgG                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Purification</b>                | The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.                                                                                                                                                                                                                                                                                                                                                                                                                                                               |
| <b>Dilution</b>                    | Western Blot: 1/500 - 1/2000. ELISA: 1/20000. Not yet tested in other applications.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Concentration</b>               | 1 mg/ml                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                             |
| <b>Purity</b>                      | ≥90%                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Storage Stability</b>           | -20°C/1 year                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                        |
| <b>Synonyms</b>                    | Zeta-type opioid receptor;Zeta type opioid receptor;Protein 7-60;Protein 7 60; Opioid growth factor receptor;OGFR                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| <b>Observed Band</b>               | 90kD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Calculated Molecular Weight</b> | 90kD                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>Cell Pathway</b>                | Cytoplasm . Nucleus . The OGF/OGFR complex is probably translocated to the nucleus.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| <b>Tissue Specificity</b>          | Highly expressed in the heart and liver, moderately in skeletal muscle and kidney and to a lesser extent in brain and pancreas. Expressed in fetal tissues including liver and kidney.                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>Function</b>                    | function:Receptor for opioid growth factor (OGF), also known as Met-enkephalin. Seems to be involved in growth regulation.,online information:OGFr entry,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR., similarity:Belongs to the opioid growth factor receptor family.,subcellular location:The OGF/OGFR complex is probably translocated to the nucleus.,tissue specificity:Highly expressed in the heart and liver, moderately in skeletal muscle and kidney and to a lesser extent in brain and pancreas. Expressed in fetal tissues including liver and kidney., |



## Background

The protein encoded by this gene is a receptor for opioid growth factor (OGF), also known as [Met(5)]-enkephalin. OGF is a negative regulator of cell proliferation and tissue organization in a variety of processes. The encoded unbound receptor for OGF has been localized to the outer nuclear envelope, where it binds OGF and is translocated into the nucleus. The coding sequence of this gene contains a polymorphic region of 60 nt tandem imperfect repeat units. Several transcripts containing between zero and eight repeat units have been reported. [provided by RefSeq, Jul 2008],


## matters needing attention

Avoid repeated freezing and thawing!

## Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

## Products Images



Western Blot analysis of HeLa cells using OGFR Polyclonal Antibody