



RB40C Polyclonal Antibody

Catalog No	YP-Ab-06054
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	RAB40C RARL RASL8C
Immunogen	Synthesized peptide derived from human protein . at AA range: 50-130
Specificity	RB40C Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	rab 4C;Rab4c;member RAS oncogene family;RAR (RAS like GTPASE) like; RAR like;Rar like protein;Rar-like protein;RARL;RAS like GTPase;Ras like protein family member 8C;RAS like;family 8;member C;Ras related protein Rab4C;Ras-like protein family member 8C;Ras-related protein Rab-4C;RASL8C; RB4C_HUMAN;SOCS box containing protein RAR3;SOCS box-containing protein RAR3;RB40C;RAB40C RARL RASL8C;Ras-related protein Rab-40C (Rar-like protein) (Ras-like protein family member 8C) (SOCS box-containing protein RAR3)
Observed Band	30kD
Calculated Molecular Weight	30kD
Cell Pathway	Cell membrane ; Lipid-anchor ; Cytoplasmic side .
Tissue Specificity	Brain,Testis,
Function	domain:The SOCS box domain mediates the interaction with the Elongin BC complex, an adapter module in different E3 ubiquitin ligase complexes., function:Probable substrate-recognition component of a SCF-like ECS (Elongin-Cullin-SOCS-box protein) E3 ubiquitin ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins., pathway:Protein modification; protein ubiquitination.,similarity:Belongs to the



small GTPase superfamily. Rab family.,similarity:Contains 1 SOCS box domain., subunit:Component of the probable SCF-like ECS(RAB40C) E3 ubiquitin-protein ligase complex which contains CUL5, RNF7/RBX2, Elongin BC complex and RAB40C. Interacts with CUL5, RNF7, TCEB1 and TCEB2.,

Background

domain:The SOCS box domain mediates the interaction with the Elongin BC complex, an adapter module in different E3 ubiquitin ligase complexes., function:Probable substrate-recognition component of a SCF-like ECS (Elongin-Cullin-SOCS-box protein) E3 ubiquitin ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins., pathway:Protein modification; protein ubiquitination.,similarity:Belongs to the small GTPase superfamily. Rab family.,similarity:Contains 1 SOCS box domain., subunit:Component of the probable SCF-like ECS(RAB40C) E3 ubiquitin-protein ligase complex which contains CUL5, RNF7/RBX2, Elongin BC complex and RAB40C. Interacts with CUL5, RNF7, TCEB1 and TCEB2.,


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western blot analysis of lysates from SH-SY5Y cells, primary antibody was diluted at 1:1000, 4° over night