



TBD2A Polyclonal Antibody

Catalog No	YP-Ab-06268
Isotype	IgG
Reactivity	Human;Rat;Mouse;
Applications	WB;ELISA
Gene Name	TBC1D2 PARIS1 PP8997 TBC1D2A
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	TBD2A Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	TBD2A;TBC1D2 PARIS1 PP8997 TBC1D2A;TBC1 domain family member 2A (Armus) (Prostate antigen recognized and identified by SEREX 1) (PARIS-1)
Observed Band	102kD
Calculated Molecular Weight	102kD
Cell Pathway	Cytoplasm . Cytoplasmic vesicle . Cell junction .
Tissue Specificity	Expressed in a broad range of tissues, especially in kidney, liver, lung and placenta. Also expressed in keratinocytes and epithelia-containing organs. Isoform 2 is differentially expressed in prostate normal and cancer cells (at protein level).
Function	function:May act as a GTPase-activating protein for Rab family protein(s)., similarity:Contains 1 PH domain.,similarity:Contains 1 Rab-GAP TBC domain., tissue specificity:Expressed in a broad range of tissues. Differentially expressed in prostate normal and cancer cells.,
Background	function:May act as a GTPase-activating protein for Rab family protein(s)., similarity:Contains 1 PH domain.,similarity:Contains 1 Rab-GAP TBC domain., tissue specificity:Expressed in a broad range of tissues. Differentially expressed in prostate normal and cancer cells.,

**matters needing attention**

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images