



AF1L2 Polyclonal Antibody

Catalog No	YP-Ab-07688
Isotype	IgG
Reactivity	Human;Mouse
Applications	WB;ELISA
Gene Name	AFAP1L2 KIAA1914 XB130
Immunogen	Synthesized peptide derived from part region of human protein
Specificity	AF1L2 Polyclonal Antibody detects endogenous levels of protein.
Formulation	Liquid in PBS containing 50% glycerol, and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000 ELISA 1:5000-20000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	CTB-1144G6.4;KIAA1914;XB130;mKIAA1914;RGD1310668;AF1L2_HUMAN;AFAP1L2;AFAP1-like protein 2;AF1L2_MOUSE;actin filament associated protein 1 like 2;actin filament associated protein 1-like 2;AF1L2;AFAP1L2 KIAA1914 XB130;Actin filament-associated protein 1-like 2 (AFAP1-like protein 2)
Observed Band	90 kDa
Calculated Molecular Weight	90 kDa
Cell Pathway	Cytoplasm .
Tissue Specificity	Detected in spleen and thyroid, and at lower levels in kidney, brain, lung and pancreas.
Function	function:May play a role in a signaling cascade by enhancing the kinase activity of SRC. Contributes to SRC-regulated transcription activation.,PTM:Tyrosine phosphorylated (by SRC).,similarity:Contains 2 PH domains.,subunit:Interacts with SRC. Interacts with LCK when tyrosine phosphorylated.,tissue specificity:Detected in spleen and thyroid, and at lower levels in kidney, brain, lung and pancreas.,

Background

function:May play a role in a signaling cascade by enhancing the kinase activity of SRC. Contributes to SRC-regulated transcription activation.,PTM:Tyrosine phosphorylated (by SRC).,similarity:Contains 2 PH domains.,subunit:Interacts with SRC. Interacts with LCK when tyrosine phosphorylated.,tissue specificity:Detected in spleen and thyroid, and at lower levels in kidney, brain, lung and pancreas.,

matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images