




# ZN708 rabbit pAb

|                                    |                                                                                                                                                                                                                     |
|------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Catalog No</b>                  | YP-Ab-08001                                                                                                                                                                                                         |
| <b>Isotype</b>                     | IgG                                                                                                                                                                                                                 |
| <b>Reactivity</b>                  | Human;Rat;Mouse;                                                                                                                                                                                                    |
| <b>Applications</b>                | WB                                                                                                                                                                                                                  |
| <b>Gene Name</b>                   | ZNF708 KOX8 ZNF15 ZNF15L1                                                                                                                                                                                           |
| <b>Immunogen</b>                   | Synthesized peptide derived from human ZN708 AA range: 360-410                                                                                                                                                      |
| <b>Specificity</b>                 | This antibody detects endogenous levels of ZN708 at Human                                                                                                                                                           |
| <b>Formulation</b>                 | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.115% sodium azide.                                                                                                                                            |
| <b>Source</b>                      | Polyclonal, Rabbit,IgG                                                                                                                                                                                              |
| <b>Purification</b>                | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.                                                                                                           |
| <b>Dilution</b>                    | WB 1:500-2000                                                                                                                                                                                                       |
| <b>Concentration</b>               | 1 mg/ml                                                                                                                                                                                                             |
| <b>Purity</b>                      | ≥90%                                                                                                                                                                                                                |
| <b>Storage Stability</b>           | -20°C/1 year                                                                                                                                                                                                        |
| <b>Synonyms</b>                    | ZN708;ZNF708 KOX8 ZNF15 ZNF15L1;Zinc finger protein 708 (Zinc finger protein 15) (Zinc finger protein 15-like 1) (Zinc finger protein KOX8)                                                                         |
| <b>Observed Band</b>               | 60kD                                                                                                                                                                                                                |
| <b>Calculated Molecular Weight</b> | 60kD                                                                                                                                                                                                                |
| <b>Cell Pathway</b>                | Nucleus .                                                                                                                                                                                                           |
| <b>Tissue Specificity</b>          | Cerebellum,Lymphoid,                                                                                                                                                                                                |
| <b>Function</b>                    | function:May be involved in transcriptional regulation.,similarity:Belongs to the krueppel C2H2-type zinc-finger protein family.,similarity:Contains 1 KRAB domain.,similarity:Contains 15 C2H2-type zinc fingers., |
| <b>Background</b>                  |                                                                                                                                                                                                                     |
| <b>matters needing attention</b>   | Avoid repeated freezing and thawing!                                                                                                                                                                                |
| <b>Usage suggestions</b>           | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.                                                                                   |



## Products Images



Western blot analysis of lysates from HCT116 cells,  
primary antibody was diluted at 1:1000, 4°over night