



# DI3L2 rabbit pAb

|                                    |                                                                                                                                    |
|------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Catalog No</b>                  | YP-Ab-09907                                                                                                                        |
| <b>Isotype</b>                     | IgG                                                                                                                                |
| <b>Reactivity</b>                  | Human;Mouse                                                                                                                        |
| <b>Applications</b>                | WB                                                                                                                                 |
| <b>Gene Name</b>                   | DIS3L2 FAM6A                                                                                                                       |
| <b>Immunogen</b>                   | Synthesized peptide derived from human DI3L2 AA range: 306-356                                                                     |
| <b>Specificity</b>                 | This antibody detects endogenous levels of human DI3L2                                                                             |
| <b>Formulation</b>                 | Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.                                                            |
| <b>Source</b>                      | Polyclonal, Rabbit,IgG                                                                                                             |
| <b>Purification</b>                | The antibody was affinity-purified from rabbit serum by affinity-chromatography using specific immunogen.                          |
| <b>Dilution</b>                    | WB 1:1000-2000                                                                                                                     |
| <b>Concentration</b>               | 1 mg/ml                                                                                                                            |
| <b>Purity</b>                      | ≥90%                                                                                                                               |
| <b>Storage Stability</b>           | -20°C/1 year                                                                                                                       |
| <b>Synonyms</b>                    | DIS3 like exonuclease 2;DIS3-like exonuclease 2;EC:3.1.13.-;FAM6A;hDIS3L2;DI3L2;DIS3L2 FAM6A;DIS3-like exonuclease 2 (EC 3.1.13.-) |
| <b>Observed Band</b>               | 65 kDa, 99 kda                                                                                                                     |
| <b>Calculated Molecular Weight</b> | 97kD                                                                                                                               |
| <b>Cell Pathway</b>                | Cytoplasm . Cytoplasm, P-body.                                                                                                     |
| <b>Tissue Specificity</b>          |                                                                                                                                    |
| <b>Function</b>                    |                                                                                                                                    |
| <b>Background</b>                  |                                                                                                                                    |
| <b>matters needing attention</b>   | Avoid repeated freezing and thawing!                                                                                               |
| <b>Usage suggestions</b>           | This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.  |



## Products Images

