



IL-19 Monoclonal Antibody

Catalog No	YP-mAb-10649
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	IL19 ZMDA1
Immunogen	Synthetic peptide from human protein at AA range: 51-100
Specificity	The antibody detects endogenous IL-19
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	IL19;IL 1C;IL 19;interleukin 19;interleukin19;IL-19;IL19 ZMDA1;Interleukin-19 (IL-19) (Melanoma differentiation-associated protein-like protein) (NG.1);Interleukin-19 (IL-19;Melanoma differentiation-associated protein-like protein;NG.1)
Observed Band	20kD
Calculated Molecular Weight	20kD
Cell Pathway	Secreted.
Tissue Specificity	
Function	function:May play some important roles in inflammatory responses. Up-regulates IL-6 and TNF-alpha and induces apoptosis.,similarity:Belongs to the IL-10 family.,
Background	The protein encoded by this gene is a cytokine that belongs to the IL10 cytokine subfamily. This cytokine is found to be preferentially expressed in monocytes. It can bind the IL20 receptor complex and lead to the activation of the signal transducer and activator of transcription 3 (STAT3). A similar cytokine in mouse is reported to up-regulate the expression of IL6 and TNF-alpha and induce apoptosis, which suggests a role of this cytokine in inflammatory responses. Alternatively spliced transcript variants encoding the distinct isoforms have been



described. [provided by RefSeq, Jul 2008],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using IL-19 Monoclonal Antibody