



TNFAIP8L3 Monoclonal Antibody


Catalog No	YP-mAb-10764
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	TNFAIP8L3
Immunogen	Synthesized peptide derived from human TNFAIP8L3. at AA range: 15-45
Specificity	This antibody detects endogenous levels of TNFAIP8L3
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	TNFAIP8L3;TIPE3;TNF alpha-induced protein 8-like protein 3;TNFAIP8 like protein 3;TNFAIP8-like protein 3;Tumor necrosis factor alpha-induced protein 8-like protein 3 (TNF alpha-induced protein 8-like protein 3) (TNFAIP8-like protein 3)
Observed Band	33kD
Calculated Molecular Weight	33kD
Cell Pathway	Cytoplasm . Cell membrane . On PDGF activation, translocates from cytoplasm to plasma membrane. .
Tissue Specificity	Widely expressed (at protein level) (PubMed:25479791). Highly expressed in most carcinoma cell lines (PubMed:25479791, PubMed:25242044).
Function	caution:It is uncertain whether Met-1 or Met-89 is the initiator.,similarity:Belongs to the TNFAIP8 family.,
Background	caution:It is uncertain whether Met-1 or Met-89 is the initiator.,similarity:Belongs to the TNFAIP8 family.,
matters needing attention	Avoid repeated freezing and thawing!

**Usage suggestions**

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.



Products Images



Western Blot analysis of various cells using
TNFAIP8L3 Monoclonal Antibody