



WIT1 Monoclonal Antibody

Catalog No	YP-mAb-10898
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	WT1-AS WIT1
Immunogen	Synthesized peptide derived from human WIT1 AA range: 20-100
Specificity	This antibody detects endogenous levels of human WIT1
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, mouse,IgG
Purification	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
Dilution	WB: 1/500 - 1/2000.
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	WIT 1;WIT1;WT1-AS WIT1;Putative Wilms tumor upstream neighbor 1 gene protein (WIT-1;Wilms tumor-associated antisense RNA)
Observed Band	
Calculated Molecular Weight	
Cell Pathway	
Tissue Specificity	Kidney,Placenta,Uterus,
Function	cell proliferation,
Background	This gene is located upstream of the Wilms tumor 1 (WT1) gene; these two genes are bi-directionally transcribed from the same promoter region. This gene is imprinted in kidney, with preferential expression from the paternal allele. Imprinting defects at chromosome 11p13 may contribute to tumorigenesis. [provided by RefSeq, May 2014],
matters needing attention	Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images