



ZBT20 mouse mAb


Catalog No	YP-mAb-12199
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	ZBTB20 DPZF ZNF288
Immunogen	Synthesized peptide derived from human ZBT20 AA range: 633-683
Specificity	This antibody detects endogenous levels of ZBT20 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Dendritic derived BTB/POZ zinc finger protein;Dendritic-derived BTB/POZ zinc finger protein;DKFZp566F123;DPZF;HOF;ODA 8S;OTTHUMP21566;OTTHUMP21567;OTTHUMP21569;OTTHUMP21571;ZBT2_HUMAN;Zbtb2;zinc finger 288;zinc finger and BTB domain containing 2;Zinc finger and BTB domain-containing protein 2;Zinc finger protein 288;ZNF288;ZBT20;ZBTB20 DPZF ZNF288
Observed Band	
Calculated Molecular Weight	
Cell Pathway	Nucleus .
Tissue Specificity	Expressed in spleen, lymph node, thymus, peripheral blood leukocytes, and fetal liver.
Function	function:May be a transcription factor that may be involved in hematopoiesis, oncogenesis, and immune responses.,similarity:Contains 1 BTB (POZ) domain., similarity:Contains 5 C2H2-type zinc fingers.,subunit:Can homodimerize. Binds to DNA.,tissue specificity:Expressed in spleen, lymph node, thymus, peripheral blood leukocytes, and fetal liver.,
Background	

**matters needing attention**

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

Western Blot analysis of various cells using ZBT20 mouse mAb