



NPDC-1 Monoclonal Antibody

Catalog No	YP-mAb-12775
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	NPDC1
Immunogen	The antiserum was produced against synthesized peptide derived from human NPDC1. AA range:189-238
Specificity	NPDC-1 Monoclonal Antibody detects endogenous levels of NPDC-1 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	NPDC-1;NPDC1;Neural proliferation differentiation and control protein 1
Observed Band	35kD
Calculated Molecular Weight	35kD
Cell Pathway	Membrane ; Single-pass membrane protein .
Tissue Specificity	Strongly expressed in adult brain; especially in hippocampus, frontal lobe and temporal lobe.
Function	function:Suppresses oncogenic transformation in neural and non-neural cells and down-regulates neural cell proliferation. Might be involved in transcriptional regulation.,similarity:Belongs to the NPDC1/cab-1 family.,tissue specificity:Strongly expressed in adult brain; especially in hippocampus, frontal lobe and temporal lobe.,
Background	function:Suppresses oncogenic transformation in neural and non-neural cells and down-regulates neural cell proliferation. Might be involved in transcriptional regulation.,similarity:Belongs to the NPDC1/cab-1 family.,tissue specificity:Strongly expressed in adult brain; especially in hippocampus, frontal lobe and temporal lobe.,




matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using NPDC-1 Monoclonal Antibody