



MCT13 Monoclonal Antibody

Catalog No	YP-mAb-13408
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	SLC16A13
Immunogen	The antiserum was produced against synthesized peptide derived from human MOT13. AA range:377-426
Specificity	MCT13 Monoclonal Antibody detects endogenous levels of MCT13 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	MCT 13;MCT13;Monocarboxylate transporter 13;SLC16A13;Solute carrier family 16 member 13
Observed Band	40kD
Calculated Molecular Weight	40kD
Cell Pathway	Golgi apparatus membrane ; Multi-pass membrane protein . Cell membrane ; Multi-pass membrane protein .
Tissue Specificity	
Function	function:Proton-linked monocarboxylate transporter. Catalyzes the rapid transport across the plasma membrane of many monocarboxylates., similarity:Belongs to the major facilitator superfamily. Monocarboxylate porter (TC 2.A.1.13) family.,
Background	function:Proton-linked monocarboxylate transporter. Catalyzes the rapid transport across the plasma membrane of many monocarboxylates., similarity:Belongs to the major facilitator superfamily. Monocarboxylate porter (TC 2.A.1.13) family.,


**matters needing attention**

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using MCT13 Monoclonal Antibody