



Bonzo Monoclonal Antibody

Catalog No	YP-mAb-13730
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	CXCR6
Immunogen	The antiserum was produced against synthesized peptide derived from the N-terminal region of human CXCR6. AA range:1-50
Specificity	Bonzo Monoclonal Antibody detects endogenous levels of Bonzo protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	BONZO;CD186;CDw186;STRL33;TYMSTR;CXCR6;C-X-C chemokine receptor type 6;CXC-R6;CXCR-6;G-protein coupled receptor STRL33;G-protein coupled receptor bonzo
Observed Band	39kD
Calculated Molecular Weight	39kD
Cell Pathway	Cell membrane; Multi-pass membrane protein.
Tissue Specificity	Expressed in lymphoid tissues and activated T cells.
Function	function:Receptor for the C-X-C chemokine CXCL16. Used as a coreceptor by SIVs and by strains of HIV-2 and m-tropic HIV-1.,online information:CXC chemokine receptors entry,similarity:Belongs to the G-protein coupled receptor 1 family.,tissue specificity:Expressed in lymphoid tissues and activated T cells.,
Background	function:Receptor for the C-X-C chemokine CXCL16. Used as a coreceptor by SIVs and by strains of HIV-2 and m-tropic HIV-1.,online information:CXC chemokine receptors entry,similarity:Belongs to the G-protein coupled receptor 1 family.,tissue specificity:Expressed in lymphoid tissues and activated T cells.,


**matters needing attention**

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using Bonzo Monoclonal Antibody