



GLK Monoclonal Antibody

Catalog No	YP-mAb-14760
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	MAP4K3
Immunogen	The antiserum was produced against synthesized peptide derived from human MAP4K3. AA range:10-59
Specificity	GLK Monoclonal Antibody detects endogenous levels of GLK protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	GLK;MEKKK3;MEKKK 3;MAPKKKK3;RAB8IPL1;MAP4K3;Mitogen-activated protein kinase kinase kinase 3;Germinal center kinase-related protein kinase;MAPK/ERK kinase kinase kinase 3;MEK kinase kinase 3
Observed Band	101kD
Calculated Molecular Weight	101kD
Cell Pathway	intracellular,cytoplasm,
Tissue Specificity	Ubiquitously expressed in all tissues examined, with high levels in heart, brain, placenta, skeletal muscle, kidney and pancreas and lower levels in lung and liver.
Function	catalytic activity:ATP + a protein = ADP + a phosphoprotein., cofactor:Magnesium.,function:May play a role in the response to environmental stress. Appears to act upstream of the JUN N-terminal pathway., similarity:Belongs to the protein kinase superfamily. STE Ser/Thr protein kinase family. STE20 subfamily.,similarity:Contains 1 CNH domain.,similarity:Contains 1 protein kinase domain.,subunit:Interacts with SH3GL2. Interaction appears to regulate MAP4K3-mediated JNK activation.,tissue specificity:Ubiquitously expressed in all tissues examined, with high levels in heart, brain, placenta,



skeletal muscle, kidney and pancreas and lower levels in lung and liver.,

Background

mitogen-activated protein kinase kinase kinase 3(MAP4K3) Homo sapiens This gene encodes a member of the mitogen-activated protein kinase kinase kinase family. The encoded protein activates key effectors in cell signalling, among them c-Jun. Alternatively spliced transcripts encoding multiple isoforms have been observed for this gene. [provided by RefSeq, Jul 2012],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using GLK Monoclonal Antibody