



TLK1 Monoclonal Antibody

Catalog No	YP-mAb-15017
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	TLK1
Immunogen	The antiserum was produced against synthesized peptide derived from human TLK1. AA range:201-250
Specificity	TLK1 Monoclonal Antibody detects endogenous levels of TLK1 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	PKU-beta;TLK1;Serine/threonine-protein kinase tousled-like 1;KIAA0137; Tousled-like kinase 1
Observed Band	87kD
Calculated Molecular Weight	87kD
Cell Pathway	Nucleus .
Tissue Specificity	Widely expressed. Present in fetal placenta, liver, kidney and pancreas but not heart or skeletal muscle. Also found in adult cell lines. Isoform 3 is ubiquitously expressed in all tissues examined.
Function	
Background	Serine/threonine-protein kinase tousled-like 1 encoded by TLK1 is a serine/ threonine kinase that may be involved in the regulation of chromatin assembly. The encoded protein is only active when it is phosphorylated, and this phosphorylation is cell cycle-dependent, with the maximal activity of this protein coming during S phase. The catalytic activity of this protein is diminished by DNA damage and by blockage of DNA replication. Three transcript variants encoding different isoforms have been found for this gene.




matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using TLK1 Monoclonal Antibody