



BMP-5 Monoclonal Antibody

Catalog No	YP-mAb-15879
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	BMP5
Immunogen	The antiserum was produced against synthesized peptide derived from human BMP-5. AA range:114-163
Specificity	BMP-5 Monoclonal Antibody detects endogenous levels of BMP-5 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	BMP 5;BMP-5;Bone morphogenetic protein 5;BMP5
Observed Band	52kD
Calculated Molecular Weight	52kD
Cell Pathway	Secreted.
Tissue Specificity	Expressed in the lung and liver.
Function	function:Induces cartilage and bone formation.,online information:Bone morphogenetic protein 5 entry,similarity:Belongs to the TGF-beta family., subunit:Homodimer; disulfide-linked.,tissue specificity:Expressed in the lung and liver.,
Background	This gene encodes a secreted ligand of the TGF-beta (transforming growth factor-beta) superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to recruitment and activation of SMAD family transcription factors that regulate gene expression. The encoded preprotein is proteolytically processed to generate each subunit of the disulfide-linked homodimer, which plays a role in bone and cartilage development. Polymorphisms in this gene may be associated with osteoarthritis in human



patients. This gene is differentially regulated in multiple human cancers. This gene encodes distinct protein isoforms that may be similarly proteolytically processed. [provided by RefSeq, Jul 2016],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using BMP-5 Monoclonal Antibody