



Nov Monoclonal Antibody

Catalog No	YP-mAb-16032
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	NOV
Immunogen	The antiserum was produced against synthesized peptide derived from the Internal region of human NOV. AA range:221-270
Specificity	Nov Monoclonal Antibody detects endogenous levels of Nov protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	60S ribosomal protein L10;DXS648;DXS648E;Laminin receptor homolog;NOV; Protein QM;QM;ribosomal protein L10;RPL10;Tumor suppressor QM;Protein NOV homolog;CCN3;IGFBP9;NOVH;CCN family member 3;Insulin-like growth factor-binding protein 9;IBP-9;IGF-binding protein 9;IGFBP-9;Nephroblastoma-overexpressed gene protein homolog
Observed Band	39kD
Calculated Molecular Weight	39kD
Cell Pathway	Secreted. Cytoplasm . Cell junction, gap junction . Localizes at the gap junction in presence of GJA1. .
Tissue Specificity	Expressed in endiothelial cells (at protein level) (PubMed:21063504). Expressed in bone marrow, thymic cells and nephroblastoma. Increased expression in Wilms tumor of the stromal type.
Function	function:Immediate-early protein likely to play a role in cell growth regulation., similarity:Belongs to the CCN family.,similarity:Contains 1 CTCK (C-terminal cystine knot-like) domain.,similarity:Contains 1 IGFBP N-terminal domain., similarity:Contains 1 TSP type-1 domain.,similarity:Contains 1 VWFC domain., subunit:Interacts with FBLN1.,tissue specificity:Increased expression in Wilms tumor of the stromal type.,



Background

The protein encoded by this gene is a small secreted cysteine-rich protein and a member of the CCN family of regulatory proteins. CCN family proteins associate with the extracellular matrix and play an important role in cardiovascular and skeletal development, fibrosis and cancer development. [provided by RefSeq, Feb 2009],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using Nov Monoclonal Antibody