



Rho D Monoclonal Antibody

Catalog No	YP-mAb-16240
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	RHOD
Immunogen	The antiserum was produced against synthesized peptide derived from human RHOD. AA range:113-162
Specificity	Rho D Monoclonal Antibody detects endogenous levels of Rho D protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	ARHD;Ras homolog D;Ras homolog gene family member A;Ras homolog gene family member D;Rho;RHO D;Rho related GTP binding protein RhoD;Rho related protein HP1;Rho-related GTP-binding protein RhoD;Rho-related protein HP1;RHOD;RHOD_HUMAN;RhoHP1;RHOM
Observed Band	25kD
Calculated Molecular Weight	25kD
Cell Pathway	Cell membrane ; Lipid-anchor ; Cytoplasmic side . Early endosome . Colocalizes with RAB5 to early endosomes (By similarity). .
Tissue Specificity	Heart, placenta, liver, skeletal muscle, and pancreas and, with weaker intensity, in several other tissues.
Function	function:Involved in endosome dynamics. May coordinate membrane transport with the function of the cytoskeleton. Participates in reorganization of actin cytoskeleton.,similarity:Belongs to the small GTPase superfamily. Rho family., subunit:In the GTP-bound form, interacts with DIAPH2 isoform 3.,tissue specificity:Heart, placenta, liver, skeletal muscle, and pancreas and, with weaker intensity, in several other tissues.,



Background

Ras homolog, or Rho, proteins interact with protein kinases and may serve as targets for activated GTPase. They play a critical role in muscle differentiation. The protein encoded by this gene binds GTP and is a member of the small GTPase superfamily. It is involved in endosome dynamics and reorganization of the actin cytoskeleton, and it may coordinate membrane transport with the function of the cytoskeleton. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2014],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using Rho D Monoclonal Antibody