



COL6A1 Monoclonal Antibody

Catalog No	YP-mAb-16993
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	COL6A1
Immunogen	The antiserum was produced against synthesized peptide derived from human Collagen VI alpha1. AA range:191-240
Specificity	COL6A1 Polyclonal Antibody detects endogenous levels of COL6A1 protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB: 1/500 - 1/2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	COL6;collagen 6A1;Collagen alpha 1(VI) chain;Collagen alpha-1(VI) chain; Collagen Type VI;COL6A1
Observed Band	109kDa
Calculated Molecular Weight	140kDa
Cell Pathway	Secreted, extracellular space, extracellular matrix .
Tissue Specificity	Blood,Brain,Fetal brain cortex,Fibroblast,Kidney,Liver,Ovary,Placenta,
Function	disease:Defects in COL6A1 are a cause of Bethlem myopathy (BM) [MIM:158810]. BM is a rare autosomal dominant proximal myopathy characterized by early childhood onset (complete penetrance by the age of 5) and joint contractures most frequently affecting the elbows and ankles., function:Collagen VI acts as a cell-binding protein.,PTM:Prolines at the third position of the tripeptide repeating unit (G-X-Y) are hydroxylated in some or all of the chains.,similarity:Belongs to the type VI collagen family., similarity:Contains 3 VWFA domains.,subunit:Trimers composed of three different chains: alpha-1(VI), alpha-2(VI), and alpha-3(VI) or alpha-5(VI) or alpha-6(VI).,



Background

The collagens are a superfamily of proteins that play a role in maintaining the integrity of various tissues. Collagens are extracellular matrix proteins and have a triple-helical domain as their common structural element. Collagen VI is a major structural component of microfibrils. The basic structural unit of collagen VI is a heterotrimer of the alpha1(VI), alpha2(VI), and alpha3(VI) chains. The alpha2(VI) and alpha3(VI) chains are encoded by the COL6A2 and COL6A3 genes, respectively. The protein encoded by this gene is the alpha 1 subunit of type VI collagen (alpha1(VI) chain). Mutations in the genes that code for the collagen VI subunits result in the autosomal dominant disorder, Bethlem myopathy. [provided by RefSeq, Jul 2008],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western blot analysis of the lysates from COLO205 cells using ACTN1/2/3/4 antibody.