



NF-KB p65 Mouse mAb

Catalog No	YP-mAb-17725
Isotype	IgG
Gene Name	RELA
Alternative Names	NFKB3; RELA; TF65; Transcription factor p65; p65; NFkB
Research Field	Cell Biology
Product Categories	Primary antibody
Host	Mouse
Reactivity	Human;Mouse;Rat
Application	WB,
Dilution Ratio	WB: 1/500-1/2000
Molecular Weight	Calculated MW: 60 kDa; Observed MW: 65 kDa
Clonality	Monoclonal Antibody
Clonality No.	R07-2B6
Immunogen	A synthetic peptide of human NF-kB p65
Purification	Affinity Purified
Conjugation	Unconjugated
Modification	Unmodified
Form	Liquid
Buffer System	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% BSA
Storage	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
Background	NFKB1 (MIM 164011) or NFKB2 (MIM 164012) is bound to REL (MIM 164910), RELA, or RELB (MIM 604758) to form the NFKB complex. The p50 (NFKB1)/p65 (RELA) heterodimer is the most abundant form of NFKB. The NFKB complex is inhibited by I-kappa-B proteins (NFKBIA, MIM 164008 or NFKBIB, MIM 604495), which inactivate NFKB by trapping it in the cytoplasm.
matters needing attention	Avoid repeated freezing and thawing!



Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images

