



PIR Mouse mAb

Catalog No	YP-mAb-18762
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	PIR
Immunogen	Synthesized peptide derived from human PIR
Specificity	This antibody detects endogenous levels of PIR at Human, Mouse,Rat
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	3-dioxygenase PIR;Iron binding nuclear protein;Pir;PIR_HUMAN;Pirin;Probable quercetin 2;Probable quercetinase;Pirin (Probable quercetin 2;3-dioxygenase PIR) (Probable quercetinase)
Observed Band	32kD
Calculated Molecular Weight	32kD(Calculated).
Cell Pathway	Nucleus . Cytoplasm . Predominantly localized in dot-like subnuclear structures. Cytoplasmic localization of PIR seems to positively correlate with melanoma progression. .
Tissue Specificity	Highly expressed in a subset of melanomas. Detected at very low levels in most tissues (at protein level). Expressed in all tissues, with highest level of expression in heart and liver.
Function	Transcriptional coregulator of NF-kappa-B which facilitates binding of NF-kappa-B proteins to target kappa-B genes in a redox-state-dependent manner. May be required for efficient terminal myeloid maturation of hematopoietic cells. Has quercetin 2,3-dioxygenase activity (in vitro).
Background	

**matters needing attention**

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images