



U17L2 mouse mAb

Catalog No	YP-mAb-12073
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	USP17L2 DUB3
Immunogen	Synthesized peptide derived from human U17L2 AA range: 321-371
Specificity	This antibody detects endogenous levels of U17L2 at Human/Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Deubiquitinating enzyme 17-like protein 2;deubiquitinating enzyme 3;Deubiquitinating protein 3;DUB 3;DUB-3;U17L2;USP17L2 DUB3
Observed Band	
Calculated Molecular Weight	
Cell Pathway	Nucleus . Endoplasmic reticulum .
Tissue Specificity	Broadly expressed.
Function	catalytic activity:Ubiquitin C-terminal thioester + H(2)O = ubiquitin + a thiol., caution:The RS447 megasatellite DNA is a highly polymorphic conserved tandem repetitive sequence which contains a copy of USP17. It is present with an interindividual variation in copy number and between 20 to 103 copies can be found both on chromosome 4 and chromosome 8.,caution:The RS447 megasatellite DNA is a highly polymorphic conserved tandem repetitive sequence which contains a copy of USP17. It is present with an interindividual variation in copy number and between 20 to 103 copies can be found in the genome both on chromosome 4 and chromosome 8.,function:Functions in cell apoptosis. Cleaves ubiquitin fusion protein substrates.,function:Functions in cell apoptosis. Cleaves ubiquitin fusion protein substrates. May also bind hyaluronan and RNA.,induction:Up-regulated by interleukin-4 and interleukin-6 (



Background

DUB3 is a member of the ubiquitin processing protease (UBP) subfamily of deubiquitinating enzymes. See USP1 (MIM 603478) for background information.[supplied by OMIM, Mar 2008],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using U17L2 mouse mAb