



Neurophysin I Monoclonal Antibody

Catalog No	YP-mAb-15953
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	OXT
Immunogen	The antiserum was produced against synthesized peptide derived from human Neurophysin I. AA range:40-89
Specificity	Neurophysin I Monoclonal Antibody detects endogenous levels of Neurophysin I protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	MGC12689;MGC126892;Neurophysin 1;Neurophysin I;Oxytocin;OT;OT NPI; OXT;Oxytocin Neurophysin preproprotein;Oxytocin prepro (neurophysin I); Oxytocin prepropeptide;Oxytocin-neurophysin 1;OT-NPI
Observed Band	19kD
Calculated Molecular Weight	19kD
Cell Pathway	Secreted.
Tissue Specificity	Lung,
Function	function:Neurophysin 1 specifically binds oxytocin.,function:Oxytocin causes contraction of the smooth muscle of the uterus and of the mammary gland., online information:Oxytocin entry,pharmaceutical:Oxytocin is available under the names Pitocin (Parke-Davis) and Syntocinon (Sandoz). Used to artificially speed or induce labor.,similarity:Belongs to the vasopressin/oxytocin family.,
Background	This gene encodes a precursor protein that is processed to produce oxytocin and neurophysin I. Oxytocin is a posterior pituitary hormone which is synthesized as an inactive precursor in the hypothalamus along with its carrier



protein neurophysin I. Together with neurophysin, it is packaged into neurosecretory vesicles and transported axonally to the nerve endings in the neurohypophysis, where it is either stored or secreted into the bloodstream. The precursor seems to be activated while it is being transported along the axon to the posterior pituitary. This hormone contracts smooth muscle during parturition and lactation. It is also involved in cognition, tolerance, adaptation and complex sexual and maternal behaviour, as well as in the regulation of water excretion and cardiovascular functions. [provided by RefSeq, Dec 2013],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using Neurophysin I Monoclonal Antibody