



Rho GDly Monoclonal Antibody

Catalog No	YP-mAb-16243
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	ARHGDIG
Immunogen	Synthesized peptide derived from Rho GDly . at AA range: 110-190
Specificity	Rho GDly Monoclonal Antibody detects endogenous levels of Rho GDly protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	Arhgdib;D4;D4 GDP dissociation inhibitor;GDIA 2;GDIA2;GDID 4;GDID4;GDIR2_HUMAN;GDP dissociation inhibitor D4;LY GDI;Ly-GDI;LYGDI;MGC18926;RAP1GN1;Rho GDI 2;Rho GDI beta;Rho GDI2;Rho GDP dissociation inhibitor (GDI) beta;Rho GDP dissociation inhibitor 2;Rho GDP dissociation inhibitor beta;Rho GDP-dissociation inhibitor 2;Rho-GDI beta;RhoGDI2;Rho GDly;ARHGDIG;Rho GDP-dissociation inhibitor 3;Rho GDI 3;Rho-GDI gamma
Observed Band	25kD
Calculated Molecular Weight	25kD
Cell Pathway	Cytoplasm.
Tissue Specificity	Primarily expressed in pancreas and brain.
Function	function:Inhibits GDP/GTP exchange reaction of RhoB. Interacts specifically with the GDP- and GTP-bound forms of post-translationally processed Rhob and Rhog proteins, both of which show a growth-regulated expression in mammalian cells. Stimulates the release of the GDP-bound but not the GTP-bound RhoB protein. Also inhibits the GDP/GTP exchange of RhoB but shows less ability to inhibit the dissociation of prebound GTP.,similarity:Belongs to the Rho GDI



family.,tissue specificity:Primarily expressed in pancreas and brain.,

Background

The GDP-dissociation inhibitors (GDIs) play a primary role in modulating the activation of GTPases by inhibiting the exchange of GDP for GTP. See ARHGDIB (MIM 602843).[supplied by OMIM, Nov 2010],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using Rho GDIγ Monoclonal Antibody