



CUL-4B Monoclonal Antibody

Catalog No	YP-mAb-16789
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	CUL4B
Immunogen	The antiserum was produced against synthesized peptide derived from the Internal region of human CUL4B. AA range:711-760
Specificity	CUL-4B Monoclonal Antibody detects endogenous levels of CUL-4B protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	KIAA0695;Cullin-4B;cullin 4B;CUL4B;CUL-4B
Observed Band	110kD
Calculated Molecular Weight	110kD
Cell Pathway	Nucleus .
Tissue Specificity	Brain,Fetal liver,Testis,
Function	disease:Defects in CUL4B are the cause of Cabezas X-linked mental retardation syndrome (MRXC) [MIM:300354]; also called X-linked mental retardation with short stature small testes muscle wasting and tremor. MRXC patients show delayed puberty, hypogonadism, relative macrocephaly, moderate short stature, central obesity, unprovoked aggressive outbursts, fine intention tremor, pes cavus, and abnormalities of the toes.,disease:Defects in CUL4B are the cause of X-linked mental retardation-hypotonic facies syndrome type 2 (MRXHF2) [MIM:300639]; also called Smith-Fineman-Myers syndrome type 2 or SFM2. The distinguishing manifestations of MRXHF2 are relative microcephaly, short stature, hypertelorism, macrostomia, patulous lips, difficulty in speech, micrognathia, short thumbs and little fingers with adduction, hypotonia at age less than 10 years, and later hypertonia, restlessness, and seizures



Background

This gene is a member of the cullin family. The encoded protein forms a complex that functions as an E3 ubiquitin ligase and catalyzes the polyubiquitination of specific protein substrates in the cell. The protein interacts with a ring finger protein, and is required for the proteolysis of several regulators of DNA replication including chromatin licensing and DNA replication factor 1 and cyclin E. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq, Jul 2008],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using CUL-4B Monoclonal Antibody