



IGSF4B Monoclonal Antibody

Catalog No	YP-mAb-17026
Isotype	IgG
Reactivity	Human;Mouse;Rat
Applications	WB
Gene Name	CADM3
Immunogen	The antiserum was produced against synthesized peptide derived from human CADM3. AA range:141-190
Specificity	IGSF4B Monoclonal Antibody detects endogenous levels of IGSF4B protein.
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Monoclonal, Mouse,IgG
Purification	The antibody was affinity-purified from mouse antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-1:2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-20°C/1 year
Synonyms	BlgR;Brain immunoglobulin receptor;CADM3;cell adhesion molecule 3;IGSF4B;Nect1;NECL1;Nectin like protein 1;synCAM3;TSLC1 like protein 1;TSL;TSLL1;Immunoglobulin superfamily member 4B;Nectin-like protein 1;NECL-1;Synaptic cell adhesion molecule 3;TSLC1-like protein 1;TS
Observed Band	43kD
Calculated Molecular Weight	43kD
Cell Pathway	Cell membrane ; Single-pass type I membrane protein . Cell junction .
Tissue Specificity	Isoform 1 is expressed mainly in adult and fetal brain. Isoform 2 is highly expressed in adult brain and weakly expressed in placenta. In brain, Isoform 2 is highly expressed in cerebellum.
Function	domain:The cytoplasmic region mediates interaction with EPB41L1, DLG3, MPP6 and CASK.,function:Involved in the cell-cell adhesion. Has both calcium-independent homophilic cell-cell adhesion activity and calcium-independent heterophilic cell-cell adhesion activity with IGSF4, PVRL1 and PVRL3. Interaction with EPB41L1 may regulate structure or function of cell-cell junctions., induction:Markedly in glioma cell lines and prostate cancer cell lines., similarity:Belongs to the nectin family.,similarity:Contains 1 Ig-like V-type



(immunoglobulin-like) domain.,similarity:Contains 2 Ig-like C2-type (immunoglobulin-like) domains.,subcellular location:Localized at the cell-cell attached sites of the plasma membrane.,subunit:Homodimer. Can form trans-heterodimers with PVRL3/nectin-3. Interacts with EPB41L1, DLG3, MPP6 and CASK.,tissue specificity:Isoform 1 is expressed mainly in adult and fetal brain.

Background

cell adhesion molecule 3(CADM3) Homo sapiens IGSF4B is a brain-specific protein related to the calcium-independent cell-cell adhesion molecules known as nectins (see PVRL3; MIM 607147) (Kakunaga et al., 2005 [PubMed 15741237]).[supplied by OMIM, Mar 2008],


matters needing attention

Avoid repeated freezing and thawing!

Usage suggestions

This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images



Western Blot analysis of various cells using IGSF4B Monoclonal Antibody