TARSL2 Rabbit pAb

Catalog No	YP-Ab-19584
Isotype	IgG
Reactivity	Human,Mouse
Applications	WB
Gene Name	TARSL2
Immunogen	Synthesized peptide derived from human TARSL2. AA range:9-79
Specificity	This antibody detects endogenous levels of TARSL2 at Human, Mouse
Formulation	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.02% sodium azide.
Source	Polyclonal, Rabbit,IgG
Purification	The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.
Dilution	WB 1:500-2000
Concentration	1 mg/ml
Purity	≥90%
Storage Stability	-15°C to -25°C/1 year(Do not lower than -25°C)
Synonyms	TARSL2;Probable threonine--tRNA ligase 2, cytoplasmic (Threonyl-tRNA synthetase) (ThrRS) (Threonyl-tRNA synthetase-like protein 2)
Observed Band	
Calculated Molecular Weight	88kD
Cell Pathway	Cytoplasm . Nucleus . Primarily cytoplasmic. Also detected at lower levels in the nucleus. .
Tissue Specificity	
Function	Catalyzes the attachment of threonine to tRNA (Thr) in a two-step reaction: threonine is first activated by ATP to form Thr-AMP and then transferred to the acceptor end of tRNA (Thr) . Also edits incorrectly charged tRNA (Thr) via its editing domain , at the post-transfer stage.
Background	
matters needing attention	Avoid repeated freezing and thawing!
Usage suggestions	This product can be used in immunological reaction related experiments. For more information, please consult technical personnel.

Products Images